

2025 ASSET MANAGEMENT PLAN

TABLE OF CONTENTS

Executive Summary	4
Asset Summary	4
Financial Strategy Summary	5
What is Asset Management?	6
An Overview of Asset Management	6
Key Concepts in Asset Management	7
Lifecycle Management Strategies	7
Risk Management Strategies	7
Levels of Service	9
Provincial Requirements	10
Scope & Methodology	11
Assets Included	11
Replacement Costs	11
Asset Conditions	12
Estimated Useful Life and Service Life Remaining	13
Relationship to Other Policies and Reports	14
Future Improvements to Plan	14
Analysis of Assets	15
Water Network	15
Asset Inventory, Replacement Cost & Annual Requirements	15
Current Asset Condition	16
Useful Life & Average Age	16
Lifecycle Management	16
Levels of Service & Performance	17
Wastewater Network	19
Asset Inventory, Replacement Costs & Annual Requirements	19
Current Asset Condition	19
Useful Life & Average Age	20
Lifecycle Management	20
Levels of Service & Performance	21
Stormwater Network	23

	Asset Inventory, Replacement Cost & Annual Requirements	23
	Current Asset Condition	23
	Useful Life & Average Age	.24
	Lifecycle Management	24
	Levels of Service & Performance	.25
R	oad Network	.26
	Asset Inventory, Replacement Cost & Annual Requirements	26
	Current Asset Condition	27
	Useful Life & Average Age	28
	Lifecycle Management	28
	Levels of Service & Performance	29
В	ridges and Culverts	30
	Asset Inventory, Replacement Cost & Annual Requirements	.30
	Current Asset Condition	.30
	Useful Life & Average Age	31
	Lifecycle Management	31
	Levels of Service & Performance	.32
F	leet	33
	Asset Inventory, Replacement Cost & Annual Requirements	33
	Current Asset Condition	33
	Useful Life & Average Age	.34
	Lifecycle Management	34
	Levels of Service & Performance	.35
Ε	quipment	36
	Asset Inventory, Replacement Cost & Annual Requirements	.36
	Current Asset Condition	.36
	Useful Life & Average Age	.37
	Lifecycle Management	37
	Levels of Service & Performance	38
F	acilities	39
	Asset Inventory, Replacement Cost & Annual Requirements	39
	Current Asset Condition	39
	Useful Life & Average Age	.40
	Lifecycle Management	.40
	Levels of Service & Performance	41

Growth	42
Growth Forecast	42
Key Considerations	42
Financial Strategy	42
Financial Strategy Overview	43
Annual Requirements & Capital Funding	44
Funding Objective	45
Financial Profile: Tax-Funded Assets	45
Financial Profile: Rate-Funded Assets	47
Use of Debt	48
Use of Reserves	49
Appendices	51
Appendix A – Level of Service Maps	51
Appendix B – Financial Strategy Graphs	56

EXECUTIVE SUMMARY

This asset management plan (AMP) provides data-driven guidance to the Town of Plympton-Wyoming on managing its capital asset portfolio. The asset inventory includes assets owned by the municipality as of December 31, 2024. These assets are valued at \$511 million. This AMP is developed in accordance with Ontario Regulation 588/17 and addresses key reporting requirements, including outlining the state of the infrastructure, current and proposed levels of service (LOS), risk, and the associated lifecycle strategies. Field condition assessments were used to determine actual condition where possible. If field condition assessments are not available or are cost prohibitive, conditions were estimated based on asset age. Central to asset management is selecting and applying the right combination of maintenance and rehabilitation options to minimize lifecycle costs and risks, extend the asset's useful life, and maximize value.

Asset Summary

Below is a high-level summary of the asset conditions, replacement costs and annual requirements.

Asset Type	Average Condition	Replacement Costs	Annual Requirement
Water	Good	\$80,750,084	\$1,317,068
Wastewater	Fair	\$91,729,505	\$1,821,335
Stormwater	Good	\$18,181,752	\$241,209
Road Network	Good	\$229,669,500	\$4,464,997
Bridges & Culverts	Fair	\$46,414,000	\$1,278,903
Fleet	Fair	\$11,879,735	\$708,170
Equipment	Poor	\$7,439,791	\$512,944
Facilities	Fair	\$24,715,502	\$572,578
	Total	\$510,779,869	\$10,917,204

Financial Strategy Summary

Historically, Plympton-Wyoming commits about \$6,679,000 annually to capital projects, leaving a funding gap of \$4,238,000 compared to the annual requirement of \$10,917,000. Recommendations to close this funding gap within 10 to 15 years for Tax and Rate funded assets are summarized below.

Funding Type Existing Assets		New Assets & Growth Projects	
	Increase contributions to general infrastructure reserve by minimum \$200,000 each year	In years with large assessment growth, increase contributions to infrastructure reserve	
_	Increase department budgeted reserves by minimum of inflation	Budget for annual requirements for new assets in year after acquisition	
Tax	Continue to allocate surplus to general infrastructure reserve	background study to ensure	
	Review user fees for development review and service installations for adequate cost recovery	adequate funding	
Water Rates	Increase rates by 3.6% annually	Utilize frontage fees	
Wastewater Rates	Increase rates by 4.4% annually	Allocate additional revenue from new accounts to reserves	

WHAT IS ASSET MANAGEMENT?

Asset Management is making decisions about Town assets in a way that balances level of service, risk, and lifecycle costs, while also working towards Town priorities to support our vision. In simpler terms, it is about *doing the right work, at the right time, for the right cost*. This ensures the Town is realizing the most value from our assets and making sure taxpayer money goes to good use.

This report is intended to present information related to Town assets as well as act as a tool to identify gaps and help build on current asset management policies and procedures. This report also brings our Town's Asset Management Plan into compliance with current provincial regulations.

AN OVERVIEW OF ASSET MANAGEMENT

The initial acquisition of capital assets accounts for only 10-20% of their total cost of ownership. The remaining 80-90% comes from operations and maintenance. The intent of asset management is to minimize the lifecycle costs of delivering infrastructure services, manage the associated risks, while maximizing the value ratepayers receive from the asset portfolio.

Total Cost of Ownership

Build (20%) Operate, Maintain, and Dispose (80%)

Lifecycle costs can span decades, requiring planning and foresight to ensure financial responsibility is spread equitably across generations. An asset management plan is critical to this planning, and an essential element of broader asset management program.

KEY CONCEPTS IN ASSET MANAGEMENT

Effective asset management integrates several key components, including lifecycle management, risk management, and levels of service. We apply these concepts throughout this asset management plan.

Lifecycle Management Strategies

The condition or performance of most assets will deteriorate over time. This process is affected by a range of factors including assets' characteristics, location, utilization, maintenance history, and environment. Asset deterioration has a negative effect on the ability of an asset to fulfill its intended function and may be characterized by increased cost, risk, and even service disruption.

To ensure that municipal assets are performing as expected and meeting the needs of customers, it is important to establish a lifecycle management strategy to proactively manage asset deterioration.

There are several field intervention activities that are available to extend the life of an asset. These activities can be generally placed into one of three categories: maintenance, rehabilitation, and replacement. The following table provides a description of each type of activity and the general difference in cost.

Event Type	Description	Example for roads	Cost
Maintenance	nance		\$
Rehabilitation	ehabilitation Activities that rectify defects or deficiencies that are already present and may be affecting asset performance		\$
Asset end-of-life activities that often involve the complete replacement of assets		Full Reconstruction	\$\$\$

Risk Management Strategies

Asset risk and criticality are essential building blocks of asset management, integral in prioritizing projects and distributing funds where they are needed most based on a

variety of factors. Assets in disrepair may fail to perform their intended function, pose substantial risk to the community, lead to unplanned expenditures, and create liability for the municipality. In addition, some assets are simply more important to the community than others, based on their financial significance, their role in delivering essential services, the impact of their failure on public health and safety, and the extent to which they support a high quality of life for community stakeholders.

Risk is a product of two variables: the probability that an asset will fail, and the resulting consequences of that failure event. It can be a qualitative measurement, (low, medium, high) or quantitative measurement (1-5), that can be used to rank assets and projects, identify appropriate lifecycle strategies, optimize short- and long-term budgets, minimize service disruptions, and maintain public health and safety.

Probability of Failure

Several factors can help decision-makers estimate the probability or likelihood of an asset's failure, including its condition, age, previous performance history, and exposure to extreme weather events, such as flooding and ice jams—both a growing concern for municipalities in Canada.

Consequence of Failure

Estimating criticality also requires identifying the types of consequences that the organization and community may face from an asset's failure, and the magnitude of those consequences. Consequences of asset failure will vary across the infrastructure portfolio; the failure of some assets may result primarily in high direct financial cost but may pose limited risk to the community. Other assets may have a relatively minor financial value, but any downtime may pose significant health and safety hazards to residents

Municipalities generally take a 'worst-first' approach to infrastructure spending. Rather than prioritizing assets based on their importance to service delivery, assets in the worst condition are fixed first, regardless of their criticality. However, not all assets are created equal. Some are more important than others, and their failure or disrepair poses more risk to the community than that of others. These high-value assets should receive funding before others.

By identifying the various impacts of asset failure and the likelihood that it will fail, risk management can identify critical assets, and determine where maintenance efforts, and spending, should be focused.

Levels of Service

A level of service (LOS) is a measure of what the Town is providing to the community and the nature and quality of that service. Within each asset class in this AMP, technical metrics and qualitative descriptions that measure both technical and community levels of service have been established and measured as data is available.

These measures include a combination of those that have been outlined in O. Reg. 588/17. Future AMPs will include additional performance measures identified by the municipality as worth measuring and evaluating. The municipality measures the level of service provided at two levels: Community Levels of Service, and Technical Levels of Service.

Community Levels of Service

Community levels of service provide a simple, plain language description or measure of how the community receives or experiences the services that the municipality provides. For core asset categories the Province, through O. Reg. 588/17, has provided qualitative descriptions that are required to be included in this AMP. These metrics can be found in the Levels of Service subsection within each asset category.

Technical Levels of Service

Technical levels of service provide a quantitative measure of key technical attributes of the service being provided to the community. These include mostly quantitative measures. For core asset categories the Province, through O. Reg. 588/17, has provided technical metrics that are required to be included in this AMP. These metrics can be found in the Levels of Service subsection within each asset category.

Current and Proposed Levels of Service

This AMP focuses on measuring the current level of service provided to the community. Once current levels of service have been measured, the municipality plans to establish proposed levels of service over a 10-year period, in accordance with O. Reg. 588/17.

Proposed levels of service should be realistic and achievable within the timeframe outlined by the municipality. They should also be determined with consideration of a variety of community expectations, fiscal capacity, regulatory requirements, corporate goals, and long-term sustainability. Once proposed levels of service have been established, and prior to July 2024, the municipality must identify a lifecycle management and financial strategy which allows these targets to be achieved.


PROVINCIAL REQUIREMENTS

Ontario Regulation 588/17, Asset Management Planning for Municipal Infrastructure, was enacted in January 2018. The Province created this regulation in response to the Federal Infrastructure for Jobs and Prosperity Act, 2015. These regulations were created because it was recognized that, in many parts of Canada and Ontario, existing infrastructure was degrading faster than it was being repaired or replaced.

The goal of the regulation is to:

- Standardize asset management plans
- Spread best practices to enable the comparison of data among municipalities;
 and
- Improve the way municipalities plan for their infrastructure.

The updated timelines for O.Reg 588/17, with a brief snapshot of what is required for each iteration of the Asset Management Plan, is shown below.



^{*} Core assets include roads, bridges & culverts, water, wastewater, and stormwater

SCOPE & METHODOLOGY

ASSETS INCLUDED

Ontario Regulation 588/17 requires the analysis of core assets in 2022 and all assets in 2024. This asset management plan addresses the core and non-core assets owned by municipality as of December 31, 2024.

Asset Class	Asset Type	Source of Funding
Water		User Rates & Grants
Wastewater		User Nates & Grants
Stormwater	Core	
Roads		Tay Lavy 9 Crapto
Bridges & Culverts		Tax Levy & Grants
Fleet		
Equipment	Non-Core	Tay Lovy & Hear Bates & Crents
Facilities		Tax Levy & User Rates & Grants

REPLACEMENT COSTS

There are a range of methods to determine the replacement cost of an asset, and some are more accurate and reliable than others. This AMP relies on two methodologies:

User-Defined Cost: Based on costs provided by municipal staff and which could include average costs from recent contracts; data from engineering reports and assessments; staff estimates based on knowledge and experience.

Cost Inflation: Historical cost of the asset is inflated based on Consumer Price Index or Non-Residential Building Construction Price Index ("NRBCPI").

User-defined costs based on reliable sources are a reasonably accurate and reliable way to determine asset replacement costs. Cost inflation is typically used in the absence of reliable replacement cost data. It is a reliable method for recently purchased and/or constructed assets where the total cost is reflective of the actual costs that the municipality incurred. As assets age, and new products and technologies become

available, cost inflation becomes a less reliable method. The municipality should aim to continuously improve the accuracy and reliability of replacement cost data based on the best available costing.

ASSET CONDITIONS

Asset condition is defined as a measure of the physical state of an asset. An incomplete or limited understanding of asset condition can mislead long-term planning and decision-making. Accurate and reliable condition data helps to prevent premature and costly rehabilitation or replacement and ensures that lifecycle activities occur at the right time to maximize asset value and useful life.

The analysis in this AMP is based on assessed condition data when it is available. The value of assessed condition data cannot be overstated as it provides a more accurate representation of the state of infrastructure than does an age-based indicator. Age-based condition tends to understate asset condition, leading to premature treatments.

The municipality employs a combination of both formal and informal condition assessment programs for municipal assets. The road network was assessed by an external consultant in 2021 as part of a Road Needs Study, and bridges & culverts are assessed every two years as per provincial regulations. Age-based condition is used as an approximation of condition for the remaining assets.

A condition assessment rating system provides a standardized descriptive framework that allows comparative benchmarking across the municipality's asset portfolio. The table below outlines the condition rating system to determine asset condition. When field condition data is not available, service life remaining is used to approximate asset condition. Below is the condition assessment rating system used in this AMP.

Condition	Description	Criteria	Service Life Remaining (%)
Very Good	Fit for the future	Well maintained, new or recently rehabilitated	80-100
Good	Adequate for now	Acceptable, generally approaching mid-stage of expected service life	60-80
Fair	Requires attention	Signs of deterioration, some elements exhibit significant deficiencies	40-60
Poor	Increasing potential for affecting services	Approaching end of service life, condition below standard, large portion of system exhibits significant deterioration	20-40
Very Poor	Unfit for sustained service	Near or beyond expected service life, widespread signs of advanced deterioration, some assets may be unusable	0-20

ESTIMATED USEFUL LIFE AND SERVICE LIFE REMAINING

The estimated useful life (EUL) of an asset is the period over which the municipality expects the asset to be available for use and remain in service before requiring replacement or disposal. The EUL for each asset in this plan was assigned according to the knowledge and expertise of municipal staff and supplemented by existing industry standards when necessary.

By using an asset's in-service data and its EUL, the municipality can determine the service life remaining ("SLR") for each asset. Using condition data and the asset's SLR, the municipality can more accurately forecast when it will require replacement.

RELATIONSHIP TO OTHER POLICIES AND REPORTS

The Town of Plympton-Wyoming, through different departments, has various key reports, policies, plans, and background information that were referred to while writing this AMP. These plans are available for review on the Town website or on publicly available committee and council agendas. Below is a partial list of the reports considered:

- Strategic Plan, 2023-2028
- Strategic Initiatives 2023-2027
- Service Delivery Review, 2021
- Strategic Asset Management Policy, 2024
- Multi-Year Accessibility Plan, 2019-2024
- Official Plan, 2021
- Roads Needs Study, 2021
- OSIM Inspections Report, 2024
- Water System Financial Plan, 2018-2028
- Annual budgets with 5-year & 10-year capital forecasts
- Development Charges Background Study, 2021
- Water Distribution Capital Plan, 2018-2027
- Community Risk Assessment, 2022
- Fire Master Plan, 2022
- Wastewater Financial Plan, 2024-2033
- Wastewater Master Plan
- Draft Parks and Rec Master Plan

FUTURE IMPROVEMENTS TO PLAN

This Asset Management Plan encompasses all current assets and current and proposed levels of service.

Looking ahead, the Town plans to incorporate the findings of the Parks and Recreation Master Plan and undertake an update to the Development Charges Study, both of which will inform future planning initiatives to guide growth and service delivery

As growth-related projects are identified, they will be added to the Asset Management Plan, along with financial strategies to fund them. This ensures a sustainable and strategic approach to meeting the needs of a growing community.

Staff will continue to collaborate with each department to review and update asset data, ensuring it is complete, accurate, and includes up-to-date condition information.

ANALYSIS OF ASSETS

WATER NETWORK

Asset Inventory, Replacement Cost & Annual Requirements

The table below gives key asset attributes for the Town's water network portfolio, including quantities of various assets, their useful life, replacement costs, and the valuation method by which the replacement costs were derived. It is assumed that all assets will require replacement at the end of their service life. The annual capital requirement represents the average amount per year that the municipality should save towards asset replacement. Water treatment assets include the town's portion of capital assets owned through the Lambton Area Water Supply System.

Asset Type	Quantity	Useful Life (Years)	Replacement Cost Method	Replacement Costs	Annual Requirement
Water Tower	1 structure	75-100	Quarterly NRBCPI	\$1,181,474	\$25,094
Chamber	Various	75	Quarterly NRBCPI	\$88,492	\$1,180
Fire Hydrants	368 units	50	Cost/unit	\$2,208,000	\$29,440
Watermains & leads 38-200mm	110,665	75	Cost/unit	\$68,607,430	\$914,766
Water treatment	Various	Various	Cost	\$8,664,688	\$346,588
			Total	\$80,750,084	\$ 1,317,068

Current Asset Condition

The following table identifies the source of the condition data and the average condition rating for each asset type. The condition data of the water treatment assets is unknown and therefore not included below.

Asset Type	Average Condition (%)	Average Condition Rating	Condition Source
Water Tower	75%	Good	2025 Inspection
Chamber	87%	Very Good	Age-based
Fire Hydrants	87%	Very Good	Age-based
Watermains	61%	Good	Age-based
Average		Good	Age-based

Useful Life & Average Age

The estimated useful life was established based on industry standards. Assessed conditions may increase or decrease the average service life remaining.

Asset Type	Average Service Life Remaining (Years)	Est. Useful Life (Years)	Average Age (Years)
Water Tower	3	20-50	32
Chamber	65	75	10
Fire Hydrants	70	75	5
Watermains	46	75	30

Lifecycle Management

Operations & Maintenance

- As required by provincial regulations, the Town maintains a detailed operational plan that defines and documents the Quality Management System for the water distribution systems. These systems are operated by Operations Management International Canada Inc. – Jacobs.
- Jacobs is responsible for regular flushing of dead-end system main lines, system
 pressure regulator valve testing, and valve exercising. They are also responsible
 for maintenance of all equipment within the distribution system.

 All maintenance is completed within government regulations and AWWA standards.

Rehabilitation & Replacement

- Jacobs is responsible for determining the need of replacement parts within the infrastructure and add them to a capital replacement plan to be provided to the Town.
- There is an emphasis on replacing older water mains that are not PVC to install PVC pipes that are generally expected to last longer and have a lower failure rate.

Levels of Service & Performance

The tables that follow summarize the Town's current levels of service with respect to prescribed metrics under Ontario Regulation 588/17.

Water Network – Community Levels of Service				
Service Attribute	Qualitative Descriptions	Current Level of Service		
Soono	Description, which may include maps, of the user groups or areas of the municipality that are connected to the municipal water system.	See Appendix A for water services map		
Scope	Description, which may include maps, of the user groups or areas of the municipality that have fire flow.	See Appendix A for water services map		
Reliability	Description of boil water advisories and service interruptions.	There were no boil water advisory days in 2024, 3 in 2023 and none in 2021. There were 13 watermain breaks in 2024, 16 watermain breaks in 2023, and 3 watermain breaks in 2021. All the watermain breaks were repaired the same day.		

Water Network – Technical Levels of Service						
Comico		Level of Service				
Service Attribute	Technical Metric		Current		Dropood	
Attibute		2021	2023	2024	Proposed	
Scope	Percentage of properties connected to the municipal water system.	93.6%	89.9%	90.0%	90%	
·	Percentage of properties where fire flow is available.	Data not available				
Reliability	The number of connection- days per year where a boil water advisory notice is in place compared to the total number of properties connected to the municipal water system.	0	0.1735	0	0	
·	The number of connection- days per year due to water main breaks compared to the total number of properties connected to the municipal water system.	0.0091	0.0462	0.0369	0.0400	

WASTEWATER NETWORK

Asset Inventory, Replacement Costs & Annual Requirements

The table below gives key asset attributes for the Town's wastewater system portfolio, including quantities of various assets, their useful life, replacement costs, and the valuation method by which the replacement costs were derived. It is assumed that all assets will require replacement at the end of their service life. The annual capital requirement represents the average amount per year that the municipality should save towards asset replacement.

Asset Type	Quantity	Useful Life (Years)	Replacement Cost Method	Replacement Costs	Annual Requirement
Equipment	Pooled	10-15	Quarterly NRBCPI	\$8,487,461	\$652,601
Forcemains	15,436 m	75	Unit Cost	\$11,888,908	\$158,519
Sewer Mains	61,011 m	75	Unit Cost	\$49,520,825	\$660,277
Pump Stations	14	50	Quarterly NRBCPI	\$6,736,303	\$138,295
Treatment Plants	2	75	Quarterly NRBCPI	\$15,096,008	\$211,643
	_	_	Total	\$91,729,505	\$1,821,335

Current Asset Condition

The following table identifies the source of the condition data and the average condition rating for each asset type.

Asset Type	Average Condition (%)	Average Condition Rating	Condition Source
Equipment	21%	Poor	Age-based
Forcemains	62%	Good	Age-based
Sewer Mains	59%	Fair	Age-based
Pump Stations	44%	Fair	Age-based
Treatment Plants	58%	Fair	Age-based
Average		Fair	Age-based

Useful Life & Average Age

The estimated useful life was established based on industry standards. Assessed conditions may increase or decrease the average service life remaining.

Asset Type	Average Service Life Remaining (Years)	Est. Useful Life (Years)	Average Age (Years)
Equipment	0	10-15	15
Forcemains	49	75	26
Sewer Mains	46	75	29
Pump Stations	22	50	26
Treatment Plants	23	75	15

Lifecycle Management

Operations & Maintenance

- Jacobs is responsible for operating and maintaining the wastewater collection and treatment system.
- The system is inspected annually to ensure compliance with regulations set out by the Ministry of Environment.

Rehabilitation & Replacement

- The rehabilitation and replacement of sewer mains depends on several variables including pipe age, material and any concerns relating to capacity.
- Rehabilitation and reconstruction projects are completed when they can be combined with other capital projects (e.g. water mains, roads) to minimize service disruptions.
- Capital projects are included in the 10-year capital plan.

Levels of Service & Performance

The tables that follow summarize the Town's current levels of service with respect to prescribed metrics under Ontario Regulation 588/17.

	Wastewater Network – Comm	unity Levels of Service
Service Attribute	Qualitative Descriptions	Current Level of Service
Scope	Description, which may include maps, of the user groups or areas of the municipality that are connected to the municipal wastewater system.	See Appendix A for wastewater services map
	Description of how combined sewers in the municipal wastewater system are designed with overflow structures in place which allow overflow during storm events to prevent backups into homes.	The municipality does not own any combined sewers.
	Description of the frequency and volume of overflows in combined sewers in the municipal wastewater system that occur in habitable areas or beaches.	The municipality does not own any combined sewers.
Reliability	Description of how stormwater can get into sanitary sewers in the municipal wastewater system, causing sewage to overflow into streets or backup into homes.	Stormwater can enter sanitary sewers due to cracks in sanitary mains or through indirect connections (e.g. weeping tiles). In the case of heavy rainfall events, sanitary sewers may experience a volume of water and sewage that exceeds its designed capacity. In some cases, this can cause water and/or sewage to overflow into streets or backup into home. The disconnection of weeping tiles from sanitary mains and the use of sump pumps and pits as an alternative can help to reduce the chance of this occurring.
	Description of how sanitary sewers in the municipal wastewater system are designed to be resilient to avoid events stormwater infiltration	The municipality follows a series of design standards that integrate servicing requirements and land use considerations when constructing or replacing sanitary sewers. These standards have been determined with consideration of the minimization of sewage overflows and backups. Newer sanitary mains are made of gasketed PVC piping to reduce potential leaks occurring between fitted pipe segments.
	Description of the effluent that is discharged from sewage treatment plants in the municipal wastewater system.	Effluent refers to water pollution that is discharged from a wastewater treatment plant, and may include suspended solids, total phosphorous and biological oxygen demand. The Environmental Compliance Approval (ECA) identifies the effluent criteria for municipal wastewater treatment plants.

Waste	water Network – Technical Leve	els of Se	rvice		
Service			Level	of Service	
Attribute	Technical Metric		Current		Droposod
Attribute		2021	2023	2024	Proposed
Scope	Percentage of properties connected to the municipal wastewater system.	75.5%	75.1%	75.6%	75%
	The number of events per year where combined sewer flow in the municipal wastewater system exceeds system capacity compared to the total number of properties connected to the municipal wastewater system.	0.00000	0.002421	0.00406	0.00500
Reliability	The number of connection-days per year due to wastewater backups compared to the total number of properties connected to the municipal wastewater system.	0.00377	0.010377	0.001691	0.01000
	The number of effluent violations per year due to wastewater discharge compared to the total number of properties connected to the municipal wastewater system.	0.00226	0.000346	0.000677	0.000500

STORMWATER NETWORK

Asset Inventory, Replacement Cost & Annual Requirements

The table below gives key asset attributes for the Town's stormwater network portfolio, including quantities of various assets, their useful life, replacement costs, and the valuation method by which the replacement costs were derived. It is assumed that all assets will require replacement at the end of their service life. The annual capital requirement represents the average amount per year that the municipality should save towards asset replacement.

Asset Type	Quantity	Useful Life (Years)	Replacement Cost Method	Replacement Costs	Annual Requirement
Storm Sewers	23,027m	75	Unit cost	\$16,688,432	\$222,512
Storm Ponds	7	75-100	Quarterly NRBCPI	\$1,493,320	\$18,697
			Total	\$ 18,181,752	\$241,209

Current Asset Condition

The following table identifies the source of the condition data and the average condition rating for each asset type. There is no routine condition assessment process for stormwater infrastructure. CCTV inspections occur on a case-by-base basis.

Asset Type	Average Condition (%)	Average Condition Rating	Condition Source
Storm Sewers	65%	Good	Age-based
Storm Ponds	93%	Very Good	Age-based
Average		Good	Age-based

Useful Life & Average Age

The estimated useful life was established based on industry standards.

Asset Type	Average Service Life Remaining (Years)	Est. Useful Life (Years)	Average Age (Years)
Storm Sewers	51	75	24
Storm Ponds	70	100	4

Lifecycle Management

Operations & Maintenance

 There are very few maintenance activities routinely completed to maintain the storm sewer network other than catch basin cleaning to ensure that stormwater can flow from the surface into stormwater mains without obstruction.

Rehabilitation & Replacement

- Most storm sewer infrastructure is replaced solely once it reaches the end of its estimated useful life without many major rehabilitative efforts during its lifecycle.
- Reconstruction projects are completed when they can be combined with other planned road reconstruction projects and are included in the 10-year capital plan as part of the roads budget.
- The majority of storm water management infrastructure was built and is maintained through the Drainage Act. This is a user pay system and as such these drains are not included in the municipal asset register. As existing stormwater systems are replaced, they are generally reconstructed and connected to a municipal drain under the Drainage Act.

Levels of Service & Performance

The tables that follow summarize the Town's current levels of service with respect to prescribed metrics under Ontario Regulation 588/17.

	Stormwater Network – Community Levels of Service					
Service Attribute	Qualitative Descriptions	Current Level of Service				
Scope	Description, which may include maps, of the user groups or areas of the municipality that are protected from flooding, including the extent of the protection provided by the municipal stormwater management system.	The Public Works Department oversees the maintenance of the urban storm water collection systems developments. The majority of storm water management infrastructure was built and is maintained by through the Drainage Act. This is a user pay system and as such these drains are not included in the municipal asset register. New developments may include storm water management ponds. These ponds are meant to improve the quality of the storm discharge and regular the rate it discharges to reduce the potential downstream impacts.				

Stormw	vater Network – Technical	Levels of Service	
Service	Technical Metric	Levels of	Service
Attribute	reciffical Wetric	Current	Proposed
	Percentage of properties in municipality resilient to a 100-year storm.	Reliable data not available at this time.	Develop baseline data and mapping to determine current resilience and work toward increasing resilience through targeted upgrades and maintenance.
Scope	Percentage of the municipal stormwater management system resilient to a 5-year storm.	All new storm water management system designed for residential development exceed a 5-year storm however no reliable data is available for older systems. The majority of storm water management infrastructure was built and is maintained through the Drainage Act.	Ensure all new stormwater infrastructure continues to meet or exceed 5-year storm design standards and identify capacity gaps in older systems to plan future upgrades.

ROAD NETWORK

Asset Inventory, Replacement Cost & Annual Requirements

The table below gives key asset attributes for the Town's road network portfolio, including quantities of various assets, their useful life, replacement costs, and the valuation method by which the replacement costs were derived. It is assumed that all assets will require replacement at the end of their service life. The annual capital requirement represents the average amount per year that the municipality should save towards asset replacement.

Asset Type	Quantity	Useful Life (Years)	Replacement Cost Method	Replacement Costs	Annual Requirement
Earth	6 km	100		\$7,131,750	\$71,318
Gravel	109 km	60-100		\$76,098,750	\$1,268,313
Asphalt	72 km	20-30		\$75,765,588	\$1,476,686
Tar & Chip	72 km	25		\$63,229,250	\$1,390,881
Concrete	1 km	30	Unit Cost	\$989,248	\$18,303
Curbs	36 km	30		\$2,107,386	\$70,245
Sidewalks	19,547 m ²	30		\$2,317,549	\$92,702
Trails	4.5 km	30		\$697,500	\$23,250
Streetlights	608	25		\$1,216,000	\$48,640
Crosswalks	2	25	Quarterly NRBCPI	\$116,479	\$4,659
			Total	\$229,669,500	\$4,464,997

Current Asset Condition

The following table identifies the source of the condition data and the average condition rating for each asset type.

Asset Type	Average Condition (%)	Average Condition Rating	Condition Source
Earth	42%	Fair	
Gravel	67%	Good	
Asphalt – Rural	61%	Good	Projected
Asphalt – Semi-urban	61%	Good	Roads Needs Study
Asphalt – Urban	74%	Good	Study
Tar & Chip	62%	Good	
Concrete	65%	Good	
Curbs	18%	Very Poor	
Sidewalks	62%	Good	
Trails	57%	Fair	Age-based
Streetlights	41%	Fair	
Crosswalks	74%	Good	
Average		Good	

Useful Life & Average Age

The estimated useful life was established based on industry standards. Assessed conditions may increase or decrease the average service life remaining. Average service life considers lifecycle rehabilitation events and the current projected condition.

Asset Type	Average Service Life Remaining (Years)	Est. Useful Life (Years)	Average Actual Age (Years)
Earth	27	100	41
Gravel	49	60	48
Asphalt – Rural	12	25	19
Asphalt – Semi-urban	12	25	22
Asphalt – Urban	13	25	15
Tar & Chip	16	60	26
Concrete	13	69	22
Curbs	7	30	24
Sidewalks	11	30	19
Trails	16	30	14
Streetlights	16	25-45	23
Crosswalks	19	25	7

Lifecycle Management

Operations & Maintenance

- Summer: Sidewalk repairs, grading, re-gravelling, dust control, ditching, roadside mowing, road sign maintenance, construction projects, crack sealing, pavement patching, line painting.
- Winter: Snow plowing, sanding & salting, ice blading of gravel roads, snow removal
- Significant operating costs include asphalt patching & repairs and gravel material purchases

Rehabilitation & Replacement

 Rehabilitation activities are determine based on both external expertise (Roads Needs Study) and internal expertise (knowledge of evolving road conditions, organizational priorities, available budget, grant opportunities, future growth)

- Instead of allowing the roads to deteriorate until replacement is required, strategic rehabilitation is expected to extend the service life of roads at a lower total cost.
- Tar & chip roads are managed proactively and are subject to regular re-surfacing activities (single and double lifts) to maintain a suitable driving surface.
- Paved road rehabilitation and replacement is more of a reactive process currently. Crack sealing is used to extend the life of paved roads.

Levels of Service & Performance

The tables that follow summarize the Town's current levels of service with respect to prescribed metrics under Ontario Regulation 588/17.

Road Network – Community Levels of Service						
Service Attribute Qualitative Descriptions Current Level of Servi						
Scope	Description, which may include maps, of the road network in the municipality and its level of connectivity.	See Appendix A for map				
Quality	Description or images that illustrate the different levels of road class pavement condition.	See Appendix A for map.				

Road Network – Technical Levels of Service						
		Level of Service				
Service Attribute	Technical Metric		Current		_	
Attribute		2021	2023	2024	Proposed	
	Number of lane-kilometres of arterial roads (Classes 1 and 2) as a portion of square kilometers of land area of the municipality.	0km/km²	0km/km ²	0km/km ²	0km/km²	
Scope	Number of lane-kilometres of collector roads (Classes 3 and 4) as a portion of square kilometers of land area of the municipality.	0.400km /km²	0.400km /km²	0.400km /km²	0.400km /km²	
	Number of lane-kilometres of local roads (Classes 5 and 6) as a portion of square kilometers of land area of the municipality.	0.400km /km²	0.405km /km²	0.424km /km²	0.400km /km²	
Quality	For paved roads in the municipality, the average pavement condition index value.	72%	73%	65%	65%	
Quality	For unpaved roads in the municipality, the average surface condition.	Good	Good	Good	Good	

BRIDGES AND CULVERTS

Asset Inventory, Replacement Cost & Annual Requirements

The table below gives key asset attributes for the Town's bridge and culvert portfolio, including quantities of various assets, their useful life, replacement costs, and the valuation method by which the replacement costs were derived. It is assumed that all assets will require replacement at the end of their service life. The annual capital requirement represents the average amount per year that the municipality should save towards asset replacement.

Asset Type	Quantity	Useful Life (Years)	Replacement Cost Method	Replacement Costs	Annual Requirement
Bridge – over 3m	18	45	OCIM Deport	\$16,965,602	\$377,013
Culvert – over 3m	36	30-45	OSIM Report	\$9,762,269	\$273,001
Bridge – under 3m	16	45	Quarterly	\$2,458,391	\$54,631
Culvert – under 3m	52	30	NRBCPI	\$17,227,738	\$574,258
			Total	\$46,414,000	\$1,278,903

Current Asset Condition

The following table identifies the source of the condition data and the average condition rating for each asset type. All bridges and culverts with a span greater than or equal to three metres are inspected every two years according to provincial regulations outlines in the Ontario Structure Inspection Manual (OSIM). The municipality uses an engineering firm to complete inspections. The Inspection Report identified maintenance, rehabilitation and replacement needs as well as an overall Bridge Condition Index, on a scale of 0-10 for each structure.

Asset Type	Average Condition (%)	Average Condition Rating	Condition Source
Bridge – over 3m	63%	Good	OSIM Bonort
Culvert – over 3m	70%	Good	OSIM Report
Bridge – under 3m	13%	Very Poor	Ago boood
Culvert – under 3m	9%	Very Poor	Age-based
Average		Fair	

Useful Life & Average Age

The estimated useful life was established based on industry standards. Assessed conditions may increase or decrease the average service life remaining. Average service life considers the current projected condition.

Asset Type	Average Service Life Remaining (Years)	Est. Useful Life (Years)	Average Actual Age (Years)
Bridge – over 3m	29	47	34
Culvert – over 3m	25	37	27
Bridge – under 3m	5	45	40
Culvert – under 3m	2	30	28

Lifecycle Management

Operations & Maintenance

- Operating costs identified in the OSIM Inspection Reports are incorporated into annual operating budgets to keep structures in good repair.
- Annual operating repairs may include basic patch repairs, power-washing, etc.

Rehabilitation & Replacement

 Capital costs identified in the OSIM Inspection Reports are incorporated into the 10-year capital plan and capital budgets to ensure structures are rehabilitated and replaced when necessary.

Levels of Service & Performance

The tables that follow summarize the Town's current levels of service with respect to prescribed metrics under Ontario Regulation 588/17.

	Bridges & Culverts -	- Community Levels of Service
Service Attribute	Qualitative Descriptions	Current Level of Service
Scope	Description of the traffic that is supported by municipal bridges (e.g., heavy transport vehicles, motor vehicles, emergency vehicles, pedestrians, cyclist)	Bridges and structural culverts are a key component of the municipal transportation network. Most types of vehicles, including heavy transport, motor vehicles, emergency vehicles and cyclists can cross them without restriction. There are 5 OSIM bridges & culverts that have varying weight restrictions. Many structures also support pedestrian traffic.
Quality	Description or images of the condition of bridges and how this would affect use of the bridges & culverts.	The municipality is required to complete biennial inspections of all bridges and structural culverts greater than or equal to 3 metres in span according to the Ontario Structure Inspection Manual. Each structure is inspected by a licensed engineer and any maintenance, rehabilitation or replacement requirements are provided to the municipality. When bridges or structural culverts need to be closed or replaced it can have a significant impact on the efficiency of the transportation network and detours may be required. The OSIM inspection program helps the municipality to implement lifecycle strategies that minimize the impacts of these potential service disruptions.

Bridges & Culverts – Technical Levels of Service					
Levels of Sei					ce*
Service Attribute	Technical Metric		Current		
Allibule		2021	2023	2024	Proposed
Scope	Percentage of bridges in the municipality with loading or dimensional restrictions.	9.3%	9.3%	9.3%	10%
Quality	For bridges in the municipality, the average bridge condition index value.	62.8%	64.6%	70.7%	60%
Quality	For culverts in the municipality, the average culvert condition index value.	66.9%	72.5%	79.9%	60%

^{*}Based on structures inspected bi-annually under the Ontario Structure Inspection Manual (OSIM).

FLEET

Asset Inventory, Replacement Cost & Annual Requirements

The table below gives key asset attributes for the Town's fleet portfolio, including quantities of various assets, their useful life, replacement costs, and the valuation method by which the replacement costs were derived. It is assumed that all assets will require replacement at the end of their service life, except for the 1932 antique pumper truck, spare pumper 3, and a surplus backhoe. The annual capital requirement represents the average amount per year that the municipality should save towards asset replacement.

Asset Type	Quantity	Useful Life (Years)	Replacement Cost Method	Replacement Costs	Annual Requirement
Fleet - Fire	12	10-20		\$6,875,000	\$357,000
Fleet - Licensed	17	10-15	Quarterly NRBCPI	\$2,769,000	\$218,400
Fleet - Unlicensed	21	10-20		\$2,234,735	\$132,770
			Total	\$11,878,735	\$708,170

Current Asset Condition

The following table identifies the source of the condition data and the average condition rating for each asset type. Currently all fleet conditions are based on the age of the asset.

Asset Type	Average Condition (%)	Average Condition Rating	Condition Source
Fleet - Fire	63%	Fair	
Fleet - Licensed	56%	Fair	Age-based
Fleet - Unlicensed	46%	Fair	
Average		Fair	

Useful Life & Average Age

The estimated useful life was established based on industry standards. Assessed conditions may increase or decrease the average service life remaining. Average service life considers the current projected condition.

Asset Type	Average Service Life Remaining (Years)	Average Useful Life (Years)	Average Actual Age (Years)
Fleet - Fire	10	17	7
Fleet - Licensed	6	12	6
Fleet - Unlicensed	7	15	9

Lifecycle Management

Operations & Maintenance

 Operating costs include oil change, changing tires, and spray coating and painting.

Rehabilitation & Replacement

 Capital costs occur when a major improvement occurs, such as replacing a dump box or body of a vehicle. Fleet equipment is typically replaced or upgraded at the end of the useful life of the asset.

Levels of Service & Performance

The tables that follow summarize the Town's current levels of service with respect to prescribed metrics under Ontario Regulation 588/17.

Fleet – Community Levels of Service						
Service Attribute	Qualitative Descriptions	Current Level of Service				
Scope	Description or images of the types of vehicles (e.g. light, medium and heavy-duty) that the municipality operates and the services that they help to provide to the community.	To assist with the delivery of services the municipality owns, operates and maintains a diverse stock of both light and heavy-duty vehicles. This includes fire rescue vehicles to respond to emergencies, tractors and mowers to complete general maintenance activities, and a fleet of trucks that municipal staff use to address service needs in the community.				
		To reduce costs, the municipality endeavours to procure vehicles that can be used for multiple purposes. For example, graders are used for grading gravel roads in the summer and plowing snow in the winter.				

Fleet – Technical Levels of Service							
Service Attribute		Level of Service					
	Technical Metric	Current			Dropood		
		2021	2023	2024	Proposed		
Quality	Average condition of vehicles (e.g. very good, good, fair, poor, very poor)	Fair	Fair	Fair	Fair		

EQUIPMENT

Asset Inventory, Replacement Cost & Annual Requirements

The table below gives key asset attributes for the Town's equipment portfolio, including quantities of various assets, their useful life, replacement costs, and the valuation method by which the replacement costs were derived. It is assumed that all assets will require replacement at the end of their service life. The annual capital requirement represents the average amount per year that the municipality should save towards asset replacement.

Asset Type	Replacement Cost Method	Replacement Costs	Annual Requirement
Office & Camlachie Community Centre		\$537,419	\$63,247
Signage	Quarterly	\$139,246	\$9,283
Parks	NRBCPI	\$2,475,933	\$120,962
Shoreline Protection		\$1,272,159	\$40,350
Fire		\$3,015,034	\$279,102
	Total	\$7,439,791	\$512,944

Current Asset Condition

The following table identifies the source of the condition data and the average condition rating for each asset type. Currently all equipment conditions are based on the age of the asset.

Asset Type	Average Condition (%)	Average Condition Rating	Condition Source
Office & CCC	5%	Very Poor	
Signage	81%	Very Good	
Parks	37%	Poor	Age-based
Shoreline Protection	93%	Very Good	
Fire	20%	Poor	
Average		Poor	

Useful Life & Average Age

The estimated useful life was established based on industry standards. Assessed conditions may increase or decrease the average service life remaining. Average service life considers the current projected condition.

Asset Type	Average Service Life Remaining (Years)	Average Useful Life (Years)	Average Actual Age (Years)
Office & CCC	0	11	23
Signage	12	15	3
Parks	5	20	16
Shoreline Protection	27	30	3
Fire	0	12	18

Lifecycle Management

Operations & Maintenance

 All machinery & equipment is operated and maintained according to manufacturer guidelines.

Rehabilitation & Replacement

- Equipment is replaced as needs are determined by both operators and users
- Some equipment is on a regimented replacement schedule (e.g. fire gear)
- Projected capital needs for equipment are included in the 10-year capital

Levels of Service & Performance

The tables that follow summarize the Town's current levels of service with respect to prescribed metrics under Ontario Regulation 588/17.

Equipment – Community Levels of Service					
Service Attribute	Qualitative Descriptions	Current Level of Service			
Scope	Description or images of the types of equipment that the municipality operates and the services that they help to provide to the community	The provision of services to the community requires the municipality to own a diverse inventory of equipment. This asset management plan identifies individual pieces of equipment and pools of equipment that provide corporate, protection, recreational services to the community.			

Equipment – Technical Levels of Service					
		Level of Service			ce
Service Attribute	I ACHNICAL MIGITIC		Current		
		2021	2023	2024	Proposed
Quality	Average condition of equipment (e.g. very good, good, fair, poor, very poor)	Poor	Poor	Poor	Fair

FACILITIES

Asset Inventory, Replacement Cost & Annual Requirements

The table below gives key asset attributes for the Town's facilities portfolio, including quantities of various assets, their useful life, replacement costs, and the valuation method by which the replacement costs were derived. It is assumed that all assets will require replacement at the end of their service life. The annual capital requirement represents the average amount per year that the municipality should save towards asset replacement.

Asset Type	Replacement Cost Method	Replacement Costs	Annual Requirement	
Cemetery		\$98,686	\$1,921	
Fire		\$2,668,993	\$64,068	
General Government	Unit Costs & Quarterly	\$3,947,075	\$94,587	
Library	NRBCPÍ	\$1,899,687	\$44,463	
Parks & Recreation		\$10,020,639	\$224,842	
Public Works		\$6,080,422	\$142,697	
	Total	\$24,715,502	\$572,578	

Current Asset Condition

The following table identifies the source of the condition data and the average condition rating for each asset type. Currently all equipment conditions are based on the age of the asset.

Asset Type	Average Condition (%)	Average Condition Rating	Condition Source
Cemetery	56%	Fair	
Fire	46%	Fair	
General Government	61%	Good	Ago boood
Library	54%	Fair	Age-based
Parks & Recreation	29%	Fair	
Public Works	21%	Poor	
Average		Fair	

Useful Life & Average Age

The estimated useful life was established based on industry standards. Assessed conditions may increase or decrease the average service life remaining. Average service life considers the current projected condition.

Asset Type	Average Service Life Remaining (Years)	Average Useful Life (Years)	Average Actual Age (Years)
Cemetery	10	60	50
Fire	27	45	28
General Government	20	49	29
Library	10	50	40
Parks & Recreation	26	58	32
Public Works	20	57	37

Lifecycle Management

Operations & Maintenance

- Maintenance schedules vary greatly based on what the facility is used for and the type of building components that were used in its construction
- Municipal staff are typically responsible for all operating and maintenance activities for facilities

Rehabilitation & Replacement

- Maintenance activities, rehabilitation strategies differ depending on the usage and design of each facility.
- Major renewal events include tasks such as re-roofing and replacing equipment.
- Renewal activities are prioritized based on the risk that asset failure may pose to the services provided by each facility.
- Asset replacement needs are determined by building condition assessments and further informed through internal discussions with municipal staff.
- All rehabilitation and replacement needs are incorporated into the 10-year capital plan.

Levels of Service & Performance

The tables that follow summarize the Town's current levels of service with respect to prescribed metrics under Ontario Regulation 588/17.

Facilities – Community Levels of Service					
Service Qualitative Current Level of Service					
Scope	Description or images of the types of facilities that the municipality operates and the services that they help to provide to the community	The provision of services to the community requires the municipality to own a diverse inventory of facilities. This asset management plan identifies facilities provide corporate, protection, recreational services to the community.			

Facilities – Technical Levels of Service					
		Level of Service			e
Service Attribute	Service Technical Metric		Current		
		2021	2023	2024	Proposed
Quality	Average condition of facilities (e.g. very good, good, fair, poor, very poor)	Fair	Fair	Fair	Fair

GROWTH

GROWTH FORECAST

Based on the 2021 Census, the Town of Plympton-Wyoming's population was 8,308, a growth of 6.6% from the 2016 Census period. There were 3,322 dwellings. The 2021 Development Charges Background Study forecasts the Town is expected to grow to 9,710 residents and 4,132 dwellings by 2036. It is expected that much of the development will occur as single detached units and medium density (townhouses, apartments), primarily in the area north of Lakeshore Road.

KEY CONSIDERATIONS

- There is sufficient land supply available for the planning horizon. In 2017, as part
 of the County Official Plan preparation, analysis determined the Town has
 sufficient land supply to exceed 2046 planning needs.
- Both the magnitude and the demographic profile of growth will determine the level of investment that the Town will make in different infrastructure assets.
- Planning for forecasted population growth will require the expansion of existing infrastructure and services. As growth-related assets are constructed or acquired, they should be integrated into the municipality's AMP.

FINANCIAL STRATEGY

The Town of Plympton-Wyoming will continue to use a mix of user fees, property taxes, grants, and reserves to continue funding the lifecycle costs to best maintain its core assets. Where applicable, the Town uses development fees collected to pay for growth related capital projects. In the future, debt may be considered to ensure the Town continues to provide appropriate levels of service to residents and visitors. For Plympton-Wyoming's asset management plan to be effective, it must align with financial planning and long-term budgeting. Developing a comprehensive financial plan will enable the municipality to identify the necessary financial resources to manage assets sustainably, considering current inventories, desired service levels, and projected growth. This financial strategy includes recommendations to avoid long-term funding deficits.

Financial Strategy Overview

This strategy outlines recommendations to close existing funding gaps for the current infrastructure. The strategies also include recommendations to fund newly acquired assets.

Financial Requirements for:

- Existing assets
- Current service levels
- Potential changes in service levels (not identified for this plan)
- Projected growth requirements (not identified for this plan)

Traditional Municipal Funding Sources:

- Tax levies
- User fees
- Federal & Provincial annual grants
- Reserves
- Debt
- Development charges

Other Municipal Funding Sources:

- One-time grants
- Partnerships
- Procurement strategies
- Donations and fundraising

Periodic grants are generally excluded due to requirements for firm commitments. If a project depends entirely on a one-time grant, the replacement cost in this strategy reflects receiving such a grant.

In the event of a funding shortfall, the Province may require a specific plan on managing its impact. To assess this, the Province may examine whether Plympton-Wyoming has:

- 1. Considered revising service levels downward to reduce financial needs.
- 2. Evaluated all asset management and financial strategies, such as:
 - Reassessing a zero-debt policy, if applicable, to consider debt utilization.
 - Reviewing user fees to ensure they cover service costs.

Annual Requirements & Capital Funding

Annual Requirements

The annual requirements represent the funding Plympton-Wyoming should allocate to each asset category to meet replacement needs, prevent infrastructure backlogs, and achieve sustainability. This total amount is approximately \$10,090,000 annually.

Most asset categories assume a "replacement-only" scenario, where costs arise only during asset replacement. However, the Road Network includes lifecycle management strategies that identify costs for strategic rehabilitation and renewal. This approach allows cost savings when applied across the municipality's road network.

Two scenarios are compared for the Road Network:

- 1. **Replacement-Only Scenario:** Assumes assets deteriorate and are replaced at end-of-life without scheduled maintenance.
- Lifecycle Strategy Scenario: Assumes strategic maintenance at intervals to extend asset life until replacement.

Asset Type	Annual Requirement (Replacement Only)	Annual Requirement (Lifecycle Strategy)	Difference
Road Network	\$7,178,491	\$4,464,997	\$2,713,494

Implementing a lifecycle strategy for roads could avoid approximately \$2,700,000 in costs, reducing overall requirements by 37%. This cost-effective approach has been used in developing the financial strategy.

Annual Funding Availability

Based on historical analysis, Plympton-Wyoming commits approximately \$6,679,000 annually to capital projects, leaving a funding gap of \$4,238,000 compared to the annual requirement of \$10,917,000.

Funding Objective

Recommendations have been developed to enable Plympton-Wyoming to achieve full funding within 10 to 15 years for:

- Tax-Funded Assets: Bridges, Culverts, Buildings, Facilities, Machinery & Equipment, Roads, and Fleet.
- 2. Rate-Funded Assets: Sewer and Water Networks.

Financial Profile: Tax-Funded Assets

Current Funding Position

Plympton-Wyoming's annual asset investment requirements and funding needs per asset category show an average annual requirement of \$7,769,500. Currently allocated funds are \$4,898,000, leaving a deficit of \$2,871,000. This deficit represents 37% of the long-term requirement for these infrastructure categories.

Domontonout	Annual	Annual Funding Available			Annual
Department	Requirement	Taxes	Annual Grants	Total Funding Available	Deficit/ (Surplus)
Public Works	\$6,467,191	\$1,537,000	\$1,235,987	\$2,772,987	\$3,694,204
Parks & Recreation	\$359,310	\$314,000		\$314,000	\$45,310
Fire	\$702,921	\$101,000		\$101,000	\$601,921
General Gov & Cem	\$240,078	\$141,000		\$141,000	\$99,078
Unspecified		\$1,569,000		\$1,569,000	\$-1,569,000
Total	\$7,769,500	\$3,662,000	\$1,235,987	\$4,897,987	\$2,871,513

With annual 2025 tax revenue of \$10,366,000, achieving full funding would require specific adjustments over time.

Financial Strategy Recommendations

To close the annual deficit, the following changes over the next 10 years should be considered:

- Increase Contributions to Reserves: Increase the allocation to the general
 infrastructure reserve by a minimum of \$200,000 annually to address the deficit
 in currently owned assets. These additional funds can be generated by
 increasing tax rates or utilizing revenue generated by increases in assessed
 values.
- Adjust for Inflation: Ensure all departments increase their annual reserve contributions by at least the rate of inflation.
- Plan for New Assets: Budget for the annual requirements of newly acquired assets starting the year after acquisition.
- Leverage Assessment Growth: In years of significant assessment growth, consider allocating additional funds to the general infrastructure reserve.
- **Reallocate Surpluses**: Continue transferring year-end surpluses to the general infrastructure reserve.
- Utilize Funding Programs: Maintain the use of current CCBF and OCIF revenues for public works projects.
- **Pursue External Funding**: Actively seek grants and funding opportunities and consider delaying projects until funding becomes available.
- **Increase Fees**: Review user fees to ensure adequate cost recovery on items such as new development reviews and service installations.
- **Update Development Charges**: Ensure that all growth-related projects are incorporated into the next Development Charges Background Study to support the accumulation of reserves for future growth initiatives.
- Consider Strategic Debt: Use debt financing for specific projects when other funding sources are unavailable, ensuring it aligns with long-term financial planning.

Financial Profile: Rate-Funded Assets

Current Funding Position

Plympton-Wyoming's rate-funded assets have an annual requirement of \$3,138,000, with current revenue allocated at \$1,781,000, resulting in a deficit of \$1,396,000 or 44% of the long-term requirements.

Department	Annual Requirement	Available Funding	Annual Deficit
Water	\$1,317,068	\$713,755	\$642,083
Wastewater	\$1,821,335	\$1,066,905	\$754,430
Total	\$3,138,403	\$1,780,660	\$1,396,513

Financial Strategy Recommendations

To close the annual deficit, the following changes should be considered:

- Increase Rates: The current Water Financial Master Plan proposes an annual rate increase of 3.6% through 2028. This rate increase has been carried through to 2035 for this financial model. The Wastewater Financial Plan proposes an annual rate increase of 4.4% through 2033. For the purposes of this asset management plan these rate increases have been applied through to 2035.
- Leverage Growth: During periods of substantial growth, direct additional
 revenue funds to the reserves. Allocate water and sewer frontage fees
 specifically to reserves to support future capital growth projects. This approach
 will help mitigate future deficits as annual requirements increase with the addition
 of new assets.
- Reallocate Surpluses: Continue transferring year-end surpluses to the water and sewer infrastructure reserve.
- Pursue External Funding: Actively seek grants and funding opportunities and consider delaying projects until funding becomes available.
- **Reinvest Interest Income**: Redirect interest earned on reserve balances into the respective reserve accounts.
- Consider Strategic Debt: Use debt financing for specific projects when other funding sources are unavailable, ensuring it aligns with long-term financial planning.

 Modernize Work Order System: Adopt a digital work order and maintenance tracking system to better monitor asset conditions, schedule preventative work, and capture real-time repair needs. Improved tracking will support more accurate budgeting, extend asset lifespans, and ensure maintenance is carried out proactively rather than reactively.

Use of Debt

While debt financing can help Plympton-Wyoming achieve essential infrastructure goals, it introduces additional costs through interest payments, impacting the overall financial efficiency of projects. For example, financing a \$1 million project at a 3% interest rate over 15 years would result in a 26% premium—or \$260,000—due to interest costs alone. This premium affects long-term budget flexibility and could influence future funding availability.

Although Plympton-Wyoming has not historically relied on debt for asset financing, it is important to recognize how interest rate changes can further impact costs. A rate increase from 3% to 6% over 15 years would raise the premium from 26% to 54%, significantly increasing project expenses. As such, debt remains an option for future infrastructure needs, but its use should be balanced with careful consideration of long-term financial sustainability and the potential risks associated with rising interest rates.

Strategic use of debt can be a sound financial decision when the long-term return, service improvement, or community benefit of the project outweighs the cost of borrowing. Major, once-in-a-generation projects, particularly those that support growth, enhance essential services, or mitigate future risks, may be more appropriately funded through debt. This allows the Town to deliver infrastructure when it is needed rather than delay until sufficient reserves are accumulated. For growth-related or revenue-generating projects, spreading costs over time also aligns payment with those who will benefit from the asset in the future, supporting principles of intergenerational equity.

While debt should continue to be approached cautiously, it remains an important tool in the Town's financial toolkit when the benefits of a project outweigh the cost of borrowing.

Use of Reserves

Available Reserves

Reserves are a vital component of Plympton-Wyoming's long-term financial strategy, providing stability and flexibility in managing infrastructure needs. Key benefits of maintaining reserves include the ability to stabilize tax rates amidst variable or unexpected costs, fund one-time or short-term projects, and accumulate funds for substantial future investments. Reserves also support debt management efforts, helping to minimize reliance on borrowing and smooth out funding requirements across asset categories. These funds play an essential role in ensuring sustainable financial practices and preparing the municipality for anticipated infrastructure investments.

Department	Discretionary Reserves Dec 31, 2024	Obligatory Reserves – Dec 31, 2024			Total Capital Reserves
		Development Charges	CCBF (Gas Tax)	Parkland	Dec 31, 2024
Tax Funded					
Public Works	\$8,150,982	\$3,644,071	\$151,631		\$11,946,684
Parks & Recreation	\$490,142	\$50,000		\$502,588	\$1,042,730
Fire	\$253,045				\$253,045
General Government & Cemetery	\$132,326				\$132,326
No department specified	\$9,087,769				\$9,087,769
Total Tax Funded	\$18,114,264	\$3,694,071	\$151,631	\$502,588	\$22,462,554
Rate Funded					
Water	\$5,067,413				\$5,067,413
Wastewater	\$10,825,365				\$10,825,365
Total Rate Funded	\$15,892,778				\$15,892,778

Reserve Levels and Recommendations

There is ongoing debate in the municipal sector about the optimal level of reserves a municipality should maintain, as no universally accepted guideline exists. Key factors influencing reserve requirements include the breadth of services provided, the age and condition of infrastructure, reliance on debt, economic conditions, and any internal policies on reserve and debt management.

Plympton-Wyoming's available reserves provide flexibility during the phase-in period to full funding, allowing for strategic use in high-priority and emergency infrastructure investments as needed. Combined with Plympton-Wyoming's limited historical use of debt, these reserves offer a financial buffer for short- to medium-term planning.

To strengthen long-term financial sustainability, it is recommended that Council adopt a Reserve and Reserve Fund Policy. This policy would establish clear targets, funding sources, usage criteria, and replenishment strategies for each reserve category. It would also provide staff with consistent guidance when preparing budgets, evaluating capital needs, and managing unexpected financial pressures. This will ultimately support more predictable and transparent fiscal decision-making.


Recommendation

In 2025, Ontario Regulation 588/17 requires Plympton-Wyoming to integrate proposed service levels for all asset categories into its asset management plan update. We recommend that future financial planning consider service level adjustments and their potential impact on reserve balances to ensure both service quality and financial sustainability.


APPENDICES

APPENDIX A - LEVEL OF SERVICE MAPS

Water Services – Hydrants and Watermains




Wastewater Services - Wyoming Area




Wastewater Services - Plympton Area



Road Network Services by Type of Road




Road Network Services by Road Class



APPENDIX B - FINANCIAL STRATEGY GRAPHS


Tax Funded Assets: Financial Strategy

Strategy includes annual \$200,000 increase to general infrastructure



Water Rate Funded: Financial Strategy

Strategy includes annual 3.6% increase to rates.



Wastewater Rate Funded: Financial Strategy

Strategy includes annual 4.4% increase to rates.

